Centurion stands for strength and rigidity but because we believe even the toughest of washrooms deserve some style, it looks good too. Satisfying your need for extra privacy, the range comes with standard, full height or increased privacy options.







Centurion

Centurion's strength comes from a number of key details. Wall channels offer extra rigidity and pilasters extend to the floor, so no pedestals are required. Easy to clean, robust and vandal-proof, these cubicles come with hardwearing fittings.

٧2

Centurion Full Height

A handsome design in any setting, Centurion Full Height cubicles are supplied with floor to ceiling toilet partitions and overpanels above the doors, creating a private space. So if you're looking for extra privacy when specifying cubicles, Centurion Full Height will satisfy your needs.





01 Floor fixed satin anodised aluminium pilasters with 5mm floor clearance.

02 Fluted satin anodised aluminium pilaster and overpanels above doors.

See p76-77 for Centurion Full Height technical specifications.

Main image

Centurion Full Height SGL cubicles with satin anodised aluminium pilasters.



Key features

Robust frame design Fluted satin anodised aluminium pilasters for added strength Overpanels above doors with full height partitions offers privacy for users Easily adjustable hinges Floor to ceiling for increased privacy Emergency release indicator bolts

Case Study Tudor Grange Academy

"To meet the rigorous demands of this type of environment, all facilities in our academy have to be robust, efficient and fit for purpose. Centurion has fulfilled these requirements, and has given an excellent finished appearance."

Graham Turner, Facilities Manager at Tudor Grange Academy.

Rated 'Outstanding' by Ofsted, Tudor Grange Academy is a comprehensive school in South Solihull. Also awarded 'World Class School' status, Tudor Grange is committed to delivering a highquality educational experience for its 1,600 students.


The Academy strives to create a safe and secure space for its students and staff, giving everyone the opportunity to achieve and succeed. They wanted to make the new school washrooms a more open and less intimidating space for all students. The washrooms would also need to be easy for staff to supervise, where needed.

Tudor Grange Academy had a requirement for robust, high specification toilet cubicles that would be able to withstand the rigours of a large and busy Academy; as well as a panelling system that would be easy to maintain.

Renowned for strength and rigidity, Solihull Council chose the Centurion Full Height toilet cubicle range for six male and female unisex school toilets around the campus.

Robust Centurion Full Height cubicles specified in dark grey laminate, along with pre-plumbed Vepps panelling in yellow and green help create a positive, bright and airy unisex washroom environment. Combine that with the hardwearing materials chosen, Tudor Grange Academy's washrooms could withstand even the most boisterous teenage antics.

Read the full case study at www.venesta.co.uk








<<u>2</u>

Technical Specifying Centurion



Dimensions

Centurion **Overall height** 2100mm

Maximum depth

MFC HPL SGL

2092mm 2062mm 1922mm

Floor clearance 100mm

MFC

HPL

SGL

Minimum ceiling clearance 20mm

Centurion Full Height Maximum height MFC HPL SGL

2774mm 2774mm 2774mm

Maximum depth 2040mm

> 2040mm 1922mm

Floor clearance 5mm at doors

Omm at partitions and pilasters Minimum ceiling clearance

20mm

Centurion Privacy Maximum height

MFC 2816mm HPL 2816mm SGL 2816mm

Maximum depth

MFC

HPL

SGL

2040mm 2040mm 1922mm

Floor clearance 5mm at doors Omm at partitions and pilasters

Minimum ceiling clearance 6.5mm

Performance

Available in three material options, Centurion is suitable for every type of wet or dry environment, allowing you to specify the most appropriate option to meet the site requirements and your budget.

MFC

For dry environments with low risk of vandalism. Panels are manufactured from 19mm nominal thickness high performance moisture-resistant melamine faced chipboard. Edges lipped with ABS.

HPL

For more heavily used washrooms, panels are heat, scratch and impact resistant. Manufactured from moisture-resistant chipboard faced with high pressure laminate, panels are 19mm nominal thickness. Edges lipped with ABS.

SGL

Solid grade laminate is extremely resistant to impact and all surfaces are impervious to water. Panels are 13mm nominal thickness with polished black radiused edges.

Detailing

Panels and doors

Available in MFC, HPL and SGL.

Colour finish

MFC, HPL and SGL 34 colours from the standard range. Cubicle hardware Satin andoised aluminium and satin anodised effect powder coated zinc.

Edge treatment

MFC and HPL Matching ABS lipping. SGL Polished black radiused edge.

Headrail

High strength extruded satin anodised aluminium headrail.

Pilasters

High strength extruded fluted satin anodised aluminium pilasters which extend down to floor level and are fixed to floor using mounting blocks.

Cubicle hardware

Indicator bolt Satin anodised aluminium slide operated bolt with circular face plate and emergency release facility. Faceplate and keep with concealed fixings. Hinge Standard and Full Height: Anti-finger trap satin anodised effect powder coated zinc rise and fall hinge. Outward opening hinge option available. Privacy: Satin anodised effect powder coated zinc 5mm nominal door clearance rise and fall hinge. This is not an antifinger trap hinge. Fixinas Partition to wall: Continuous satin anodised aluminium U-channel. Pilaster to partition: Continuous satin anodised aluminium U-channel. Pilaster to wall: Continuous satin anodised aluminium U-channel. Partition to floor: Continous satin anodised aluminium floor U-channel (for Full Height and Privacy only).

Accessories

Coat hooks and toilet roll holders available.