





# You need a wide choice of high quality sanitaryware.

From cutting-edge, designer sanitaryware to simple, budget options, our partnerships with Armitage Shanks, Ideal Standard and SanCeram give you the flexibility to choose industry leading products to complement your washroom.







**03** Vepps panels with Marden concealed trap urinal and sensor flush.

## Main image

Vepps panels with Jasper Morrison basins, Jasper Morrison single lever mixer taps and Jasper Morrison urinals.







Jasper Morrison back to wall WC\*



Vepps Sanitaryware, Brassware & Fittings

Contour 21+ back to wall rimless WC S0439HY 410mm height



Contour 21+ raised height back to wall rimless WC S0440HY



Sandringham 21 back to wall WC



Concept back to wall WC



Sandringham 21 wall hung WC\* Requires Vepps WC Carrier



Contour 21+ wall hung rimless WC Requires Vepps WC Carrier



Concept wall hung WC E047301 Requires Vepps WC Carrier



Contour 21+ rimless back to wall WC S0437HY 700mm projection S0438HY 750mm projection



Contour 21 schools 305 back to wall WC S304601 305mm height S304701 355mm height



Jasper Morrison urinal bowl E621501 580mm height



**Contour hygeniq rimless urinal bowl** S611901 675mm height



Contour urinal bowl S611001 665mm height



Sanura urinal bowl\* S610001 500mm height



Urinal division with hanger and screw



Jasper Morrison 500mm vessel basin\*



Concept 430mm vessel basin\* E803901 1 tap hole



Cherwell 21 380mm under-countertop

S268701 No tap hole





**Durasein Solid Surface integrated basin\*** RLA104A No tap hole





Sandringham 21 500mm countertop basin
E895201 1 tap hole
Sandringham 21 500mm countertop basin\* basin\* E895401 2 tap holes



Orbit 21 550mm fully inset basin S248601 1 tap hole



Orbit 21 550mm fully inset basin\* S248801 2 tap holes



Jasper Morrison 550mm semi-recessed E620601 1 tap hole



Concept 450mm semi-recessed basin



Profile 21 500mm semi-recessed basin



Profile 21 500mm semi-recessed basin



Sandringham 21 500mm semi-recessed basin\* E895801 1 tap hole



Sandringham 21 500mm semi-recessed **basin** E895901 2 tap holes



Portman 21 500mm panel mounted basin\* S230801 Left tap hole



Portman 21 500mm panel mounted basin S225401 Right tap hole



Portman 21 500mm panel mounted basin S231101 Centre tap hole



Portman 21 400mm panel mounted basin S215901 Left tap hole



Portman 21 400mm panel mounted basin S231401 Right tap hole



Contour 21 370mm panel mounted basin S212201 Centre tap hole



Contour 21 370mm panel mounted basin



# **Vepps** Sanitaryware and brassware





Vepps Sanitaryware, Brassware & Fittings

Contour 21 370mm panel mounted basin S247401 Right tap hole




Contour 21 500mm panel mounted basin S215401 No tap hole



(HBN 00-10 HTM64)



Contour 21+ 50cm back outlet basin




Sensorflow 21 compact mixer deck mounted tap A4852AA Mains A4853AA Link



Sensorflow 21 electronic spout tap A4172AA Link



Contour 21 thermostatic sequential basin mixer tap A4131AA Flexi tails A4169AA Copper tails



Avon 21 push button self closing mixer tap B8861AA Copper tails



Silver single lever vessel basin mixer\* E0069AA



Avon push button self closing bib tap\*



Sensorflow 21 compact wall spout 230mm A4849AA Mains\* A4850AA Link\*



Avon 21 push button self closing pillar taps



Sandringham SL 21 basin pillar Sandringham 21 self closing taps\* B3304AA Pair



pillar taps S0672AA Pair



Sandringham 21 lever pillar taps\* B9881AA Pair



Markwik lever bib taps



Markwik 21+ panel mounted thermostatic mixer with time flow sensor A6737AA Fixed spout\*

S8239NU Sterilising kit\*



Markwik 21+ panel mounted thermostatic mixer with time flow sensor A6684AA Detachable spout S8239NU Sterilising kit\*



Markwik 21+ panel mounted thermostatic basin mixer A6735AA Fixed spout S8239NU Sterilising kit\*



Markwik 21+ panel mounted thermostatic basin mixer A6682AA Detachable spout S8239NU Sterilising kit\*

\*Could incur extended lead times, please contact our friendly sales team for further information

# Armitage Shanks

# **Vepps** Fittings



Sensorflow 21 WC flush S358967 6 litre flush S359967 4 or 4.5 litre flush



Sensorflow 21 urinal flush A7002AA High pressure link A7001AA High pressure mains A7059AA Low pressure link\* A7058AA Low pressure mains\*



Armitage Shanks unbranded dual flush plate S4399AA Chrome plated S4504MY Stainless steel



Pneumatic panel mounted palm push button S4513MY Stainless steel



Pneumatic panel mounted finger push button S4512MY Stainless steel



Conceala 2 250mm extended WC lever\* S4491AA



Concentric control thermostatic shower in a box\* \$6933MY



Sensorflow 21 electronic shower valve and sensor\* A4185AA Mains A4186AA Link



Avon 21 built-in self closing non-mixing shower\* B8266AA Chrome plated



**Anti vandal fixed shower head\*** A5452AA



Armaglide 2 shower kit



Contour 21 built-in sequential shower mixer extended lever



01 Doc M shower room pack\*
S6960AC White
S6960LI Blue
S6960LJ Grey
S6960RN Charcoal
S6960MY Stainless Steel



Doc M Contour 21+ back to wall left or right hand packs S0685AC White - Left hand pack S0686AC White - Right hand pack



right hand packs S0685LI Blue - Left hand pack S0686LI Blue - Right hand pack



right hand packs S0685LJ Grey - Left hand pack S0686LJ Grey - Right hand pack



Doc M Contour 21+ back to wall left or right hand packs
S0685MY Stainless steel - Left hand pack\*
S0686MY Stainless steel - Right hand pack\*



Doc M Contour 21+ back to wall left oright hand packs
S0685RN Charcoal - Left hand pack
S0686RN Charcoal - Right hand pack



Doc M Contour 21+ back to wall left or right hand packs
S0685GQ Red - Left hand pack\*
S0686GQ Red - Right hand pack\*



Langley back to wall rimless WC LLWC102



Langley Curve back to wall rimless WC LLWC122



Chartham Beyond back to wall rimless WC CHWC121



Chartham back to wall WC





Chartham rimless 450mm Chartham rimless 480mm back to wall WC back to wall WC CHWC103 CHWC104



Langley wall hung rimless WC Requires Vepps WC Carrier



**Langley Curve wall hung WC** LLWC121 Requires Vepps WC Carrier



Chartham wall hung WC Requires Vepps WC Carrier



**Chartham Beyond wall hung** rimless WC Requires Vepps WC Carrier



Chartham rimless back to wall 700mm projection



Chartham rimless back to wall 750mm projection



Shenley back to wall 350mm WC SHWC101



Chartham wall hung 700mm projection WC CHWC117 Requires Vepps WC Carrier



Langley concealed trap urinal LLUR101



Marden concealed trap urinal MDUR101



Chartham exposed trap urinal



Marden waterless urinal



Langley waterless urinal



**Urinal separator** 





**Chartham 530mm countertop basin** CHWB112 Centre tap hole



**Langley 400mm under counter basin** LLWB107 No tap hole



Marden 560mm under counter basin MDWB107 No tap hole



Shenley 500mm countertop basin SHWB103 Centre tap hole SHWB104 2 tap holes



**Langley semi-recessed basin 500mm** LLWB104 Centre tap hole



Marden semi-recessed basin 520mm MDWB105 Centre tap hole



Chartham semi-recessed basin 450mm CHWB109 Right tap hole



Chartham semi-recessed basin 450 CHWB108 2 tap holes



**Shenley slim semi-recessed basin 400mm** SHWB105 Right tap hole







Chartham wall hung 450mm basin CHWB104 Centre tap hole



Marden square semi-recessed basin 460mm MDWB113 Centre tap hole



**Langley 400mm wall hung basin** LLWB101 Centre tap hole



Marden 525mm wall mounted basin MDWB103 Centre tap hole



Marden 420mm wall mounted basin MDWB101 Centre tap hole



Chartham wall hung 450mm basin CHWB103 2 tap holes



Chartham wall hung 500mm clinical back outlet basin CHWB107 No tap hole

# **Vepps** Brassware



**Chartham wall hung 380mm basin** CHWB101 Left tap hole



Vepps Sanitaryware, Brassware & Fittings

**Chartham wall hung 380mm basin** CHWB102 Right tap hole



**Chartham wall hung 500mm basin** CHWB105 Right tap hole



SanCeram sequential TMV3 mixer tap SCBW120 Flexi tails SCBW115 Copper tail pack



SanCeram basin mounted self-closing mixer tap SCBW106



Vision non consussive self closing mixer tap\* VSN123



Insignia lever mixer tap



Marden square 460mm basin MDWB111 Central tap hole



Langley round vessel basin LLWB122 No tap hole



Langley oval vessel basin LLWB123 No tap hole



Swoop MK2 lever mixer tap



Swoop MK2 tall lever mixer tap Hartley mixer tap\*





Hartley mixer tap\* HABW101N Brushed nickel



Langley rectangluar vessel basin



Chartham cleaners sink





Hartley mixer tap\* HABW101B Matt black



Hartley tall mixer tap\*



Hartley tall mixer tap\* HABW102N Brushed nickel



Hartley tall mixer tap\*

\*Could incur extended lead times, please contact our friendly sales team for further information

# **Vepps** Brassware



Hartley wall mounted mixer tap\*
HABW103 Chrome



Hartley wall mounted mixer tap\* HABW103N Brushed nickel



Hartley wall mounted mixer tap\*
HABW103B Matt black



Adore mini basin mixer



Deva tall sensor tap\*



Deva wall mounted sensor tap\* Aquarius wall mounted 150mm Deva lever action bib taps



sensor tap spout





Insignia lever pillar taps



Short lever taps



Press action taps



Contemporary press action taps SCBW124 Pair



Deva 6" lever handles DLV002 Pair



SanCeram healthcare TMV3 wall mounted lever tap SCBW111 Fixed spout



SanCeram healthcare TMV3 wall mounted lever tap SCBW122 Removable spout SCBW117 HBN tap purge kit



SanCeram healthcare TMV3 wall mounted sensor tap SCBW112 Fixed spout SCBW117 HBN tap purge kit SCBW116 Mains transformer



Aquarius A45 sensor tap\*



SanCeram deck mounted sensor tap SCBW119 SCBW116 Mains transformer



Deva sensor tap



Deva deck mounted temperature adjustment sensor tap SENSOR6BT



SanCeram healthcare TMV3 wall mounted sensor tap SCBW123 Removable spout SCBW117 HBN tap purge kit SCBW116 Mains transformer

# **Vepps** Fittings



Concealed WC flush sensor CIST108 Single (battery) CIST109 Dual (battery) CIST110 Mains transformer



Vepps Sanitaryware, Brassware & Fittings

Electroflo urinal sensor URIN108 Battery URIN109 Mains



Concealed dual flush cistern with square button CIST104



Concealed single flush cistern with square button CIST103







Concealed single flush cistern Concealed single flush cistern Concealed dual flush cistern with vandal resistant button



with lever



Concealed dual flush cistern

with oyster push button CIST107

Concealed dual flush cistern with dimple lever



with palm push button

Sequential lever operated concealed shower valve



**Deva Vision thermostatic** concealed shower valve VSNVSEQ02



Self-closing concealed shower



SanCeram anti-vandal short projection shower head SHWR124



SanCeram anti-ligature fixed shower head SHWR118



SanCeram grab rail based shower kit SHWR115 White




SanCeram Doc M shower pack SCDMSHCWH White SCDMSHCBL Blue



SanCeram back to wall WC Doc M pack Left hand pack SCDMBTWLW White SCDMBTWLB Blue SCDMBTWLG Grey

SCDMBTWLSS Stainless steel

Right hand pack SCDMBTWRW White SCDMBTWRB Blue SCDMBTWRG Grey SCDMBTWRSS Stainless steel



# You need speedy installation.

Our design team created Vepps to ensure that's what you get. There are four easy steps to installation, so you can be up and running in the shortest possible time frame, with a guaranteed quality finish.



- **01** Once the site has been prepared, fix the aluminium docking frame to the wall, ceiling and floor.
- **02** Click-fix the first Vepps unit onto the frame and slide into position. Open the mid panel to a fully hinged position. Attach a vertical flashgap to the frame on either side of the unit, screw-fixing to the frame from the face. Fix tie back to the wall. Repeat until all units are in place.
- **03** Once all the units are in position, connect the plumbing
- **04** Simply close the hinged panel and attach the top and bottom panels of the unit. Installation complete.

- 20 minute installation
- 30 minute installation
- 10 minute installation\*
- 5 minute installation

The comparisons given between Vepps, Frameduct and Rapiduct are a guide and are designed to help you choose the right product for your project. \*Dependent on brassware.

# Case Study ICON Outlet at The O2

Venesta were pleased to work alongside ISG and Wren Construction to provide male, female, baby and accessible washroom facilities.

Spanning an impressive 210,000 square feet, ICON Outlet is The O2's brand new urban outlet shopping centre, bringing together over 60 of the best fashion and lifestyle brands.


Unity cubicles were specified to meet the high demands of this new and exciting shopping centre. Unity's clean, modern and minimal design was the perfect choice, offering a 'floating' flush front that makes a guaranteed impact.

The HPL cubicles supplied have a durable moisture resistant chipboard core, faced with high pressure laminate to accommodate daily cleaning requirements. Unity also offers anti-tamper, concealed stainless steel and satin anodised aluminium fittings, ensuring the strength and security of the cubicles.

ICON Outlet selected our ground-breaking pre-plumbed Vepps system, making regular duct maintenance effortless thanks to its linear-bearing hinge. Our 90 degree hinge removes the need to manually lift off and replace panels when carrying out maintenance work, which is inefficient and could cause the panels to become damaged or misaligned.

Venesta were proud to have been involved in such a significant project, helping to ensure shoppers, diners and visitors of all ages and abilities have the best possible customer experience, even when visiting the washroom.

Read the full case study at www.venesta.co.uk









Available in MFC, HPL, SGL, ColourCoat,

## Colour finish

MFC. HPL and SGL

Detailing

34 colours. ColourCoat & ColourCoat High Gloss

10 ColourCoat and ColourCoat High Gloss colours available when specifying Vepps with selected V1 and V2 cubicle ranges. Unlimited ColourCoat and ColourCoat High Gloss options (any classic RAL) when specifying Vepps with selected V3 cubicle ranges.

Veneer

Wide range of Alpi veneer options (varying price points).

## **Edge treatment**

MFC and HPL Matching ABS lipping. Post-formed vertical edge option available

SGL

Polished black radiused edge. ColourCoat & ColourCoat High Gloss Edges are sprayed with a coat of primer and finished with 20% or 80% gloss pigmented lacquer, respectively. Veneer

ABS lipping to match. Flashgaps

Flashgaps have unfinished edges except return end flashgaps which will be ABS lipped (or polished if solid grade laminate).

# Docking frame

Headrail and baserail manufactured from extruded aluminium section.

## **Subframes**


Manufactured from rolled galvanised steel section with aluminium cross brace bars. Subframe installed within aluminium docking frame by click-fix nylon location brackets. Back panels fixed to steel section by metal brackets.

## 90° linear-bearing hinge™

Manufactured from zinc plated steel with chrome plated rivets and black glass filled nylon linear-bearing, set at fixed height of

Manufactured from stainless steel with a polished finish in set positions.

# **Technical** Specifying Vepps



# **Dimensions**

## Maximum ceiling height

MFC 3000mm 3000mm HPL 3000mm SGL

Maximum heights subject to change with woodgrain colours.

## Skirting/baserail height

100mm

Hinged and lockable panels available up to 850mm width.

# Sanitaryware



Fitted sanitaryware has been specially engineered to give you the highest quality finish.

WCs **Basins Urinals Showers**  **Baths** Squat pans Cleaners sinks

Healthcare items

Washtroughs

## environment, allowing you to specify the most appropriate panel option to meet the site requirements and your

budget.

lipped with ABS.

MFC

HPL

Performance

Available in six material options, Vepps

is suitable for every type of wet or dry

For dry environments with low risk of

vandalism. Panels are manufactured

from 19mm nominal thickness high

performance moisture-resistant

melamine faced chipboard. Edges

For more heavily used washrooms,

resistant, Manufactured from

edge option available.

panels are heat, scratch and impact

moisture-resistant chipboard faced

with high pressure laminate, panels

are 19mm nominal thickness. Edges

lipped with ABS. Post-formed vertical

## Bespoke heights available.

## Top flashgap

50mm minimum

## Hinged panels

Solid grade laminate is extremely resistant to impact and all surfaces are impervious to water. Panels are 13mm nominal thickness with polished black radiused edges.

# ColourCoat

Panels are 18mm nominal thickness MDF sprayed with a coat of primer and finished with 20% gloss pigmented lacquer.

## ColourCoat High Gloss

Panels are 18mm nominal thickness MDF sprayed with a coat of primer and finished with 80% gloss pigmented lacquer.


## Veneer

Manufactured from moisture resistant chipboard faced with real wood veneer, panels are 18mm nominal thickness. Edges lipped with matching ABS lipping.

# **Technical** Specifying Vepps


Vepps Technical


# **WC Hinged Panels** 200 min. panel (variable)



# **Urinal Hinged Panels** 200 min panel (variable)

# Secrets of Vepps





## 1. Venesta linear-bearing hinge™

Our precision engineered, high strength linear-bearing hinges and panel support ratchets offer smooth movement and allow panels to be positioned at 10 different heights, all without any gaps between panels.

Patent approved.

## 2. Venesta dowel-dock

Designed for strength and perfect panel alignment, our dowel-dock system ensures panels return to their correct position every time.

Patent approved.

## 3. Tie backs

Adjustable zinc plated steel tie backs offer a bracing system for improved stability and allow for easier, speedier installation.

## 4. Baserail

Designed in a smooth, modern Light Grey or Dark Grey powder coated aluminium finish, the Vepps baserail, ensures compatibility with all cubicle ranges and washroom designs.

## 5. Panel lock

We understand the need for added safety without compromised aesthetics. In stainless steel with a tamper proof security key opening, our panel locks are discreet and ensure maximum security.

## 6. Wall hung WC carrier

Our wall hung WC carrier is made from Solid Grade Laminate. It simply locates into the baserail and is fixed back to the building structure without the need for floor bolts. The assembly has been load tested to 400kg and complies with BSEN 997.

### 7. Fittings

We understand the need for products that last. That's why all of our metal components are non-ferrous or coated to protect against rusting and corrosion.